

PORTABLE AIR CONDITIONER

Connecting with Smartphone



WiFi Control with Easi Touch App





Easi Touch

Portable Air Conditioner

Why Choose Portable Air Conditioner A5PA15E?

Stay cool wherever you are with the Acson A5PA15E. Just plug it in, roll it to any room, and enjoy instant comfort.

Features

1. Portable & Flexible Design

Easily move the A5PA15E from room to room with its built-in castors. Perfect for homes, offices, or any space that needs cooling.



2. Front Flow Cooling

Delivers cool air directly and evenly across the room. The up and down airflow direction can be adjusted manually, while the left and right swing is controlled automatically via the controller.



3. Powerful Air Flow

Experience the power of rapid and strong cooling air flow, providing maximum comfort in every corner.




4. Self-Evaporative System

The innovative self-evaporating technology minimizes the need to manually empty the water tank.

Remark:

Water may need to be drained especially in high humidity areas.



5. Easy Installation and Maintenance

No permanent installation, just plug it in and enjoy the cool breeze. With the idea of hassle-free maintenance, the easily accessible filter makes cleaning quick and simple.



Stay Cool Effortlessly with the Easi Touch App

With the Easi Touch App, you can turn on the air conditioner without leaving your seat. Adjust temperature, fan speed, and operating modes with a few taps on your phone.







Temperature

Fan Speed

Mode

Smart Comfort Made Simple with the Easi Touch App

Easi Touch App let you schedule in advance, tailoring it perfectly to your lifestyle.

Sleep Peacefully with Intelligent Cooling



Enjoy a restful night as the unit dims its lights, creating a calm atmosphere in your room..

Remark: Sleep mode can be controlled by remote controller or the app only.



Technical Specification

Model		A5PA15E
Nominal Cooling Capacity	вти/н	12,000
	kW	3.5
Input Power	w	1,200
Rated Current	Α	6.8
EER	W/W	2.92
Power Supply	V/Hz/Phase	220-240/50/1
Airflow (H/L)	m³/h	390/280
Sound Pressure Level (H/L)	dBA	50/47
Water Tank Volume	L	0.8
Unit Dimension (WxHxD)	mm x mm x mm	419 x 688 x 358
Packing Dimension (WxHxD)	mm x mm x mm	460 x 865 x 396
Unit Weight	kg	26.3
Refrigerant / Charge	Refrigerant / kg	R410A / 0.46

Note: 1. All specification are subjected to change by the manufacturer without prior notice.

Controller and Accessories Included:



Exhaust hose, hose inlet house outlet and window slide kit



ACSON MALAYSIA SALES & SERVICE SDN.BHD.

a member of **DAIKIN** group

Business Registration NO.198401017130 (129688-D)

No. 7A, Jalan 13/4, Seksyen 13, 46200 Petaling Jaya,

Selangor Darul Ehsan, MALAYSIA.
Tel: +603 7964 8200 Sales Fax: +603 7956 9909

Pahang : +609-5178 696 Kelantan : +609-7405 233 Sarawak : +6082-344 128 Sabah : +6088-420 205 : +604-5377 176 Penang Perak Melaka : +605-3129 828 : +606-2926 196 Johor : +607-3551 599

Authorized Dealer:		

Products manufactured in an ISO certified facility.
This document contains the most current product information as of this printing.
For the most up-to-date product information, please logon to www.acson.com.my

CAT-A5PAE-2501

www.acson.com.my 3 3 AcsonMalaysia

